

出席者（正本）

發文方式：郵寄

檔 號：

保存年限：

中華民國獸醫病理學會 開會通知單

受文者：全體會員

發文日期：中華民國104年6月25日

發文字號：病理林字第1040000018號

速別：普通件

密等及解密條件或保密期限：普通

附件：第339次CSVP病例病史

開會事由：召開第339次獸醫組織病理會議

開會時間：104年7月3日(星期五)下午1時

開會地點：國立中興大學獸醫學院動物疾病診斷中心108教室(臺中市南區國光路250號)

主持人：林正忠理事長

聯絡人及電話：張仁杰 (02)26212111轉512

出席者：全體會員

列席者：

副本：

備註：

- 一、敬請踴躍參加，如需公務人員終身學習認證，請另上公務人員終身學習入口網站報名以利登錄，本次認證時數4小時。網址<http://lifelonglearn.cpa.gov.tw/>
- 二、重要通知：請各位會員將個人常使用之電子郵件信箱地址傳至 jcchang@mail.nvri.gov.tw，標題註明CSVP會員E-mail登錄；爾後本會開會通知將改由電子郵件寄送方式及網頁公告方式<http://www.csvp.org.tw/>，以節省郵資費用及減少紙張浪費。
- 三、本次會議組織病理切片資訊可逕由國立中興大學獸醫病理生物學研究所網頁瀏覽(<http://www.ivp.nchu.edu.tw/slidecenter.php?id=53>)。

理事長 林正忠

中華民國獸醫病理學會第 339 次組織病理會議
Chinese Society for Veterinary Pathology

The Three Hundred and Thirty-Ninth (339th) Histopathology Seminar

Date: Jul 3, 2015

Place: NCHU

Case 1. CSVP 2015-2845 (104019-A, NTUCM LAC, Y.T. Tsai, I.S. Yu, W.P. Chen, H.W. Chen)

Mouse, *p53* +/- transgenic, 4-month-old, male. The transgenic mouse presented abdominal swelling and the gross appearance revealed nodular, white-yellow adipose tissues of bilateral spermatic cord and a white-yellow to red, well-defined 1.4×1.2×1.2 cm mass adhering to the right spermatic cord. Bilateral, undescended, atrophic testes and a black, well-demarcated 0.3×0.2×0.2 cm lesion within the left testicular parenchyma were also observed.

Case 2. CSVP 2015-2846 (TSN15009, ADDC NCYU, M.H. Huang, H.C. Kuo, C. L. Chen, D. Y. Lo)

Pig, 10-day-old, submitted to ADDC for disease diagnosis. The piglet showed clinical signs of depression and cyanosis. The morbidity was 6% (12/200) and the mortality was 5% (10/200).

Case 3. CSVP 2015-2847 (NTU2014-3166, NTU, W.T. Li, C.R. Jeng)

Canine, Welsh corgi, 9-year-old, Castrated male. The animal showed severe neurological signs such as tetraparesis, ataxia, and cranial nerves deficits. Euthanasia was performed due to poor quality of life.

Case 4. CSVP 2015-2848 (NTU2014-2122, NTU, H. Kuo, J.H. Lin, F.I. Wang)

Canine, mongrel, 11-year-old, female. Irregular skin surface with erosion was noted on bilateral side of vulva. The vulva became firm and thickened. Lt. popliteal lymph node was enlarged and a firm and fixed subcutaneous mass was noted beneath the LN. Surgical biopsy was performed and vulva mass, Lt. popliteal LN and the subcutaneous mass were submitted.

Case 5. CSVP 2015-2849 (CO14-898, GIVP-NCHU, H.C. Yen, C.W. Chang, J.W. Liao)

Roman Geese, 7.5-month-old, about twenty geese showed dyspnea, unable to stand, limberneck, paralyzed wings, dirty feathers, and mud could be found in the mouth on December 10th, 2014. The morbidity was 23% (20/87) and the mortality was 16% (14/87).

Case 6. CSVP 2015-2850 (CO15-185, GIVP-NCHU, J.L. Hao, H.K. Chang, J.S. Lee, C.C. Lin)

Cow, Holstein, 4-year-old, marketing size (650 kg). Its mandible was condemned by a meat inspection veterinarian in slaughterhouse. Grossly, swelling on the right side of mandible was found.



Case 5. CSVP 2015-2849 (CO14-898, GIVP-NCHU, H.C. Yen, C.W. Chang, J.W. Liao)

The geese showed dyspnea, unable to stand, limberneck, paralyzed wings, dirty feathers, and mud could be found in the mouth.